

Paratransit Package A-208





- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford standard length chassis
- 24" (61 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (SIDE DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 1 wheelchair securement position + 4 ambulatory passengers **OR** 2 wheelchair securement positions + 2 ambulatory passengers (not including the driver)

Paratransit Package A-208 Specifications

- 24" (61 cm) Camper Top/Rollcage/Liner
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 1-Passenger Bench Seat (Qty.1)
- 2-Passenger Folding Seat (Qty.1)
- Stanchion Pole (Qty.1)
- Modesty Panel/Stanchion Pole (Qty.1)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- ADA Decals
- Lift Light
- Stepwell Light
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- Drive Shaft Guard
- Wall Mount Rear Heat & Air Conditioning
- Aftermarket interior - Gray ABS Plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.

Paratransit Package A-208 Dimensions



Ford Standard Length Van - Package A-208		
A	Interior Length (at floor)	119" (302 cm)
B	Interior Width	66 1/2" (169 cm)
C	Seat Spacing	-
D	Aisleway (Seats Unfolded)	10" (25 cm)
E	Aisleway (Seats Folded)	36" (91 cm)
F	Overall Height	103" (262 cm)
G	Overall Length	216 3/4" (551 cm)
H	Lift Door Height	60" (152 cm)
I	Lift Door Width	43" (109 cm)
J	Interior Headroom	69" (175 cm)

DIMENSIONS ARE FOR REFERENCE ONLY

Paratransit Package B-208




- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford standard length chassis
- 24" (61 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (REAR DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 5 ambulatory passengers **OR** 2 wheelchair securement positions + 3 ambulatory passengers (not including the driver)

Paratransit Package B-208 Specifications

- 24" (61 cm) Camper Top/Rollcage/Liner
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Folding Seat (Qty.1)
- 1-Passenger Bench Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Stepwell Light
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Wall Mount Rear Heat & Air Conditioning
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Paratransit Package B-208 Dimensions



Ford Standard Length Van - Package B-208		
A	Interior Length (at floor)	119" (302 cm)
B	Interior Width	66 1/2" (169 cm)
C	Seat Spacing	30" (76 cm)
D	Aisleway (Seats Unfolded)	10" (25 cm)
E	Aisleway (Seats Folded)	36" (91 cm)
F	Overall Height	103" (262 cm)
G	Overall Length	216 3/4" (551 cm)
H	Lift Door Height	60" (152 cm)
I	Lift Door Width	46 1/2" (118 cm)
J	Interior Headroom	69" (175 cm)

DIMENSIONS ARE FOR REFERENCE ONLY

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.

Paratransit Package C-208




- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford extended length chassis
- 24" (61 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (SIDE DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 9 ambulatory passengers **OR** 2 wheelchair securement positions + 5 ambulatory passengers (not including the driver)

Paratransit Package C-208 Specifications

- 24" (61 cm) Camper Top/Rollcage/Liner
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Bench Seat (Qty.1)
- 1-Passenger Bench Seat (Qty.2)
- 2-Passenger Folding Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Modesty Panel/Stanchion Pole (Qty.1)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Lift Light
- Stepwell Light
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Ceiling Mount Rear Air Conditioning
- Floor Mount Rear Heater
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.

Paratransit Package C-208 Dimensions



Ford Extended Length Van - Package C-208		
A	Interior Length (at floor)	138" (351 cm)
B	Interior Width	66 1/2" (169 cm)
C	Seat Spacing	31" (79 cm)
D	Aisleway (Seats Unfolded)	10" (25 cm)
E	Aisleway (Seats Folded)	36" (91 cm)
F	Overall Height	103" (262 cm)
G	Overall Length	237 3/4" (604 cm)
H	Lift Door Height	60" (152 cm)
I	Lift Door Width	43" (109 cm)
J	Interior Headroom	69" (175 cm)

DIMENSIONS ARE FOR REFERENCE ONLY

Paratransit Package D-208




- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford extended length chassis
- 24" (61 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (REAR DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 7 ambulatory passengers **OR** 2 wheelchair securement positions + 3 ambulatory passengers (not including the driver)

Paratransit Package D-208 Specifications

- 24" (61 cm) Camper Top/Rollcage/Liner
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Folding Seat (Qty.2)
- 1-Passenger Bench Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Lift Light
- Stepwell Light
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Ceiling Mount Rear Air Conditioning
- Floor Mount Rear Heater
- Passenger Side Full Length Running Board
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.

Paratransit Package D-208 Dimensions



Ford Extended Length Van - Package D-208		
A	Interior Length (at floor)	138" (351 cm)
B	Interior Width	66 1/2" (169 cm)
C	Seat Spacing	31" (79 cm)
D	Aisleway (Seats Unfolded)	10" (25 cm)
E	Aisleway (Seats Folded)	36" (91 cm)
F	Overall Height	103" (262 cm)
G	Overall Length	237 3/4" (604 cm)
H	Lift Door Height	60" (152 cm)
I	Lift Door Width	46 1/2" (118 cm)
J	Interior Headroom	69" (175 cm)

DIMENSIONS ARE FOR REFERENCE ONLY

Paratransit Package E-208




- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford extended length chassis
- 30" (76 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (SIDE DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 8 ambulatory passengers **OR** 1 wheelchair securement positions + 6 ambulatory passengers (not including the driver)

Paratransit Package E-208 Specifications


- 30" (76 cm) Transit Top/Rollcage/Liner
- Raised Front Passenger Door
- Stepwell Kit
- Door Operator
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Folding Seat (Qty.1)
- 2-Passenger Bench Seat (Qty.2)
- 1-Passenger Bench Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Modesty Panel/Stanchion Pole (Qty.2)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Lift Light
- Stepwell Light
- First Aid Kit (10 Unit)
- Reflector Kit
- 5 Pound Fire Extinguisher
- Backup Alarm
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Ceiling Mount Rear Air Conditioning
- Floor Mount Rear Heater
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.

Paratransit Package E-208 Dimensions



Ford Extended Length Van - Package E-208		
A	Interior Length (at floor)	138" (351 cm)
B	Interior Width	66 1/2" (169 cm)
C	Seat Spacing	31" (79 cm)
D	Aisleway (Seats Unfolded)	10" (25 cm)
E	Aisleway (Seats Folded)	36" (91 cm)
F	Overall Height	114 1/2" (291 cm)
G	Overall Length	237 3/4" (604 cm)
H	Lift Door Height	60" (152 cm)
I	Lift Door Width	43" (109 cm)
J	Interior Headroom	74 1/2" (189 cm)
K	Stepwell Opening Width	21 1/4" (54 cm)
L	Front Door Height	85 1/2" (217 cm)
M	Front Door Width	17 1/2" (44 cm)
N	APD - Lift Door Height	69" (175 cm)
O	APD - Lift Door Width	43" (109 cm)
P	APD - Front Door Height	85 1/2" (217 cm)
Q	APD - Front Door Width	26 3/4" (68 cm)



Optional APD Door

DIMENSIONS ARE FOR REFERENCE ONLY

Paratransit Package F-208



- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford extended length chassis
- 30" (76 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (SIDE DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 8 ambulatory passengers **OR** 3 wheelchair securement positions + 2 ambulatory passengers (not including the driver)

Paratransit Package F-208 Specifications


- 30" (76 cm) Transit Top/Rollcage/Liner
- Raised Front Passenger Door
- Stepwell Kit
- Door Operator
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Folding Seat (Qty.3)
- 1-Passenger Bench Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Modesty Panel/Stanchion Pole (Qty.2)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Lift Light
- Stepwell Light
- First Aid Kit (10 Unit)
- Reflector Kit
- 5 Pound Fire Extinguisher
- Backup Alarm
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Ceiling Mount Rear Air Conditioning
- Floor Mount Rear Heater
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.




Creative Bus Sales

Paratransit Package F-208 Dimensions



Ford Extended Length Van - Package F-208		
A	Interior Length (at floor)	138" (351 cm)
B	Interior Width	66 1/2" (169 cm)
C	Seat Spacing	31" (79 cm)
D	Aisleway (Seats Unfolded)	10" (25 cm)
E	Aisleway (Seats Folded)	36" (91 cm)
F	Overall Height	114 1/2" (291 cm)
G	Overall Length	237 3/4" (604 cm)
H	Lift Door Height	60" (152 cm)
I	Lift Door Width	43" (109 cm)
J	Interior Headroom	74 1/2" (189 cm)
K	Stepwell Opening Width	21 1/4" (54 cm)
L	Front Door Height	85 1/2" (217 cm)
M	Front Door Width	17 1/2" (44 cm)
N	APD - Lift Door Height	69" (175 cm)
O	APD - Lift Door Width	43" (109 cm)
P	APD - Front Door Height	85 1/2" (217 cm)
Q	APD - Front Door Width	26 3/4" (68 cm)



Optional APD Door

DIMENSIONS ARE FOR REFERENCE ONLY

13501 Benson Ave • Chino, CA 91710
1.800.326.2877 • Fax: 1.909.465.5529 • www.CreativeBusSales.com